



KOLLERS *Whirlpool*
Quality - products



User's Manual

Baby Spa Whirlpool



Before putting the whirlpool tub into operation please read the Instructions for Use very carefully and keep it safely, including the Warranty Card, receipt and, if possible, also the box and internal packing.

Technical changes and misprints reserved

Congratulations on your purchase of the Baby Spa Whirlpool tub!

The whirlpool bath in this tub offers your baby completely new possibilities for relaxation. The whirlpool tub provides rest and entertainment at the same time. The pleasing play of colours during bathing creates a special atmosphere. Gentle massage by flowing air helps your baby gain calmness and strength. Depending on the way of use, the bath is also stimulating or ensures calm sleep.

Your Baby Spa Whirlpool tub is equipped with a special option of operation without connecting to the mains; for all needed information and additional useful tips and important safety instructions see this User's Manual.

We wish you a lot of joy with your Baby Spa Whirlpool tub!

Safety and Operating Instructions

1 Use

The equipment is designed for bathing of children at the age from 0 to 12 months – maximum weight 12 kg (the total load of the equipment including water is max. 25 kg).

For children from 0 to 6 months it is recommended to use the lying bed and to lay the baby by means of the safe midwives' grip (see TIP: Safe putting into the bath). As soon as your baby can sit on their own, please use the opposite sitting surface and stay within reach of the baby.

This equipment is not designed for use or operating by people (including children) with limited physical, sensory or mental abilities or with a lack of experience and/or knowledge, unless under the supervision of a person responsible for their safety.

Use the equipment solely in compliance with the intended purpose.

This product is not a toy.

The whirlpool tub is not suitable for the bathing of pets!

Do not use the equipment outdoors. Keep it at a sufficient distance from heat sources, direct sunlight and sharp edges.

Your baby must not be transported in the tub!

Only one baby may be bathed at a time!

Do not lay the baby in prone position in the tub! Read the tips for bathing in Chapter 6.

Do not lean on the edge of the tub.

Bath additives should not be used, to prevent clogging of the jet apertures.

2 Provision of Operability

Before every use check the equipment, power pack and cable for damage. Do not put the equipment into operation if damaged.

To prevent danger, do not repair the equipment and cable on your own; refer to the service addresses listed on the last page.

Use only original accessories.

Do not use any accessory not recommended by the manufacturer.

3 Disinfection before the First Use

Before the first use and after several uses you should perform disinfection and cleaning as described on page 8.

4 Safe Installation

Choose a safe place and stand the equipment on a flat, horizontal and stable surface. Never put the whirlpool tub on a slanted surface.

Never put the tub on a raised place, only on a suitable tub stand designed by Rotho Babydesign.

Never use any tub stand other than the one specially designed for the whirlpool tub by Rotho Babydesign (see picture).

Do not stand the tub near an electric switchboard and keep a minimum distance of 60 cm from mains sockets!

Do not stand the tub near heat sources!

Place the whirlpool tub so that your baby cannot reach the water tap – danger of scalding!

To prevent children, for example little brothers or sisters, from danger connected with electric equipment, make sure that the cable is not hanging down and the children cannot reach it.



Rotho č. výr. 20097 0022

5 Handling Electric Equipment

Please respect the following precautions and safety instructions.

Never immerse the plug, cable and outer side of the whirlpool tub in any liquid (the whirlpool tub is not designed for use in water).

5.1 Electrical Connection

Your Baby Spa Whirlpool tub is equipped with a power pack enabling its operation in all of Europe (except the United Kingdom, Ireland, Cyprus and Malta).

When using this power pack, your Baby Spa Whirlpool tub is supplied with a safe voltage of 12 V_{DC}.

Never touch the electrical connectors with wet hands.

Before operation or charging, connect the connector of the equipment in the respective hole under the tub.

Connect the mains plug only in a mains socket properly installed in compliance with the regulations!

5.1.1 Battery Charging

For charging, simply connect the plug into a socket. The status indicator changes from the green continuous light to red blinking. The battery is now charging. After the end of the charging process, the status indicator switches to red continuous light (see Chapter 9.1.2).

After the end of the charging process, unplug the power pack from the socket (pull by the plug, not by the cable).

When pulling the cable from the equipment please pull by the cable, because it is a special connector protected against splashing water.

After use, always switch off the equipment.

6 Preparation of Bath

Check that both the outer and inner bottoms of the tub are clean and not slippery.

Before the bath remove the remnants of bath additives with soap and water.

Ensure an agreeable temperature in the room and prepare all needed items so that you have them within your reach.

Ensure a relaxed and calm atmosphere (e.g. switch off your mobile phone, phone and door bell).

Fill the tub with warm water up to the “**MAX**” level marked on the side of the tub.

Please make sure that the water is not too hot. It should not be more than 37 °C.



TIP: Bathing on video

On the Internet we have prepared a film for you, containing important instructions for proper bathing of your baby: www.rotho-babydesign.com

7 Selection of the Tub Area

Side for newborns and little babies

- **0-6 months:** The lying area shall be used for newborns up to the age of approx. 6 months, i.e. until the baby learns to sit on his/her own.

Put the baby into the tub lying on his/her back. Hold the baby during bathing. Follow the safety instructions below.



- **6-12 months:** The sitting area should only be used when the baby is able to sit on his/her own with sufficient sureness. Stay close and follow the safety instructions below.



8 Important Safety Instructions

Never leave the baby unattended: danger of drowning!

Your baby must not bathe alone. A baby may quickly drown at a water level as low as 2 cm. During bathing, the baby must be under the supervision of an adult. Little babies, who cannot sit on their own yet, should always be held by a hand. Never leave your baby, not even when the phone or doorbell rings. Several seconds of absence are enough to endanger the life of your baby.

The ergonomic shape of the inner side and the anti-slip mat provide the baby with better support, but they do not protect them against the risk of injury or drowning.




TIP: Safe putting into the bath

The whirlpool tub is particularly suitable for the use of the safe grip used by midwives: Put your right hand under the head of the baby and grip him/her in the armpit of the right arm, so that your thumb lies on the baby's shoulder. Then the head is resting on your forearm, which you can lean comfortably on the edge of the tub. The other hand holds the baby's legs and helps him/her slide into the tub gently. If you prefer to hold the baby with your left hand, grip the baby the other way round.



9 Control Panel



9.1 Status Indication and Activation Button



9.1.1 Operation with Charged Battery

If the equipment is out of operation and no indication is shining, it can be switched on by a short press of the activation button. The status indicator lights up by a continuous green light. Now you can select the required functions.

9.1.2 Operation with the Use of the Power Pack

The power pack serves both for the operation and for the charging of the battery. At the plugging in of the mains plug, the status indicator lights up by continuous green light → Ready for operation. Now you can select the required functions.

If you do not select any function, the status indicator will start blinking red → The battery is being charged. After the end of the charging process, the status indicator switches to a continuous red light.

The charging process can be interrupted any time by pressing a function button (see Chapter 5.1.1).

9.1.3 Status Indication

- Continuous green light → ready for operation and during operation
- Red blinking → charging
- Continuous red light → charging complete/the battery is completely charged
- No indication → out of operation

9.2 Function buttons



9.2.1 Air Massage in the Lying Area



To switch on/off the air massage. The fine jets on the left side of the whirlpool tub will start/stop operating.

9.2.2 Air Massage in the Sitting Area



To switch on/off the air massage. The fine jets on the right side of the whirlpool tub will start/stop operating.

9.3 Selection of Colours



Switch on: short press = start of the cycle of 7 alternating colours

Colour selection: by a long press of the colour selection button it is possible to select one colour which will then be shining continuously

Switch off: short press of the button

10 Important Supplementary Functions

10.1 Limitation of the Operating Time

The operating time limitation function will automatically switch off the air and colour light after 20 minutes. The functions of the whirlpool tub can be reactivated immediately after the automatic stop.

10.2 Disinfection Mode



Caution: Never put the baby into the disinfecting bath!
Keep the whirlpool tub out of the reach of children during disinfecting!

Press both air buttons simultaneously for 3 seconds. This mode is signalled by red blinking of the colour light. The air massage will be run alternately for 30 minutes. After the end of the disinfecting, the colour light switches over to blue continuous light. Press the colour light button to confirm the end of the disinfecting and to switch off the colour light.

The disinfection mode cannot be interrupted. For more information about disinfection see Chapter 12.

11 After the Bath

Switch off the equipment after the bath. Empty it using the supplied discharge hose. Then clean the tub.

After the bath it is necessary to recharge the Baby Spa Whirlpool tub fully (see Point 5 Battery Charging).

12 Cleaning, Care and Maintenance

12.1 Cleaning and Care

- Before the cleaning and care of the tub please unplug the mains plug from the socket.
- Use a sponge or soft cloth. Clean the tub with tepid water and a cleaning agent with neutral pH. Do not use any solvents or caustic and abrasive cleaning agents, otherwise the surface of the tub and jets could get damaged.
- Then connect the power pack, fill the tub with little water and rinse it. Drain the water and put the air system into operation for several minutes to dry the tub – finished! (see Chapter 9.2).

If in case of very hard water the **whirlpool gets clogged with scale**, fill the tub up to the “**MAX**” indication, add the prescribed dose of a common descaling agent and start the disinfecting program (see below). Then empty the tub and clean it in the normal way.

12.2 Disinfection

Caution: Never put the baby into the disinfecting bath!
 Keep the whirlpool tub out of the reach of children during disinfecting!

To ensure hygienic safety of the children's bathtub it is necessary to perform chemical disinfection using the supplied disinfectant (for later orders see the service addresses) according to the following schedule:

Please perform the disinfection before every 3rd bath. If the bath has been out of operation for more than 3 weeks, it also needs disinfecting before the next use.

For the disinfection, fill the children's bathtub with water to 5 cm above the “**MAX**” indication. Then add approximately 18 ml (millilitres) or 4 caps of disinfectant and activate the disinfection mode (see Chapter 9.2).



After the end of the disinfection mode it is possible to empty the tub into the bathroom outlet and to clean it (see Chapter 12.1).

13 Technical Specifications

- Type / Model: Baby Spa Whirlpool tub 12 V, optionally with battery
- Switching mains supply: 230 V AC / 12 V DC; 24 W
- Dimensions: 85 x 53 x 30 cm³ (l*w*h)
- Empty weight: 6.3 kg
- Maximum load 25 kg
- Optional battery: 30 minutes of independent operation
- Time of charging 6 hours
- Storage temperature: 0 to +50 °C
- Operating temperature: +10 to +40 °C

14 Storage

Store the equipment in horizontal position and at a temperature between 0 °C and +50 °C.

15 Disposal of Old Equipment

This equipment contains electronic components and batteries. Please do not dispose of it into municipal waste, but transport it for disposal to the respective collecting place of old electrical equipment. If in doubt, refer to the competent authorities and municipalities in your country.

16 CE Declaration of Conformity and Certificate of Testing

CE CONFORMITY DECLARATION

Ref. No.:

We, **Rudolf Koller GmbH
Rudolf Koller Strasse 1
Vitis, Austria**

declare under our sole responsibility that

the product: **Baby Spa Whirlpool**

type: **Baby Spa Whirlpool**

manufacturer: **Rudolf Koller GmbH
Rudolf Koller Strasse 1
Vitis, Austria or
Rudolf Koller spol. s r. o.
Dolní Pěna 201, 377 01 Jindřichův Hradec, Czech Republic**

to which this declaration relates is in conformity with the following standards:

Czech Standards	European Standards
ČSN EN 60335-1ed.2:03 including amendments	EN 60335-1:02 including amendments
ČSN EN 60335-2-60ed.2:04 including amendments	EN 60335-2-60:03 including amendments
ČSN EN 55014-1ed.3:07 including amendments	EN 55014-1:06 including amendments
ČSN EN 61000-3-2ed.3:06 including amendments	EN 61000-3-2:06 including amendments
ČSN EN 61000-3-3ed.2:09	EN 61000-3-3:08
ČSN EN 55014-2:98 including amendments	EN 55014-2:97 including amendments

following the provisions of Directive:

NV 17/2003 Sb. including amendments	2006/95/EC – including amendments
NV 616/2006 Sb. including amendments	2004/108/EC – including amendments

Complementary information:

Test reports No.: 104929-01/01 and No.: 104930-01/01 of 26.1.2012

issued by **Elektrotechnický zkušební ústav, s.p.
Pod Lisem 129; 171 02 Praha 8 - Troja, Czech Republic**

The last two digits of the year in which the CE marking was affixed: 12

Place of issue: Vitis, Austria

Manufacturer representative:

Date of issue: 7.3.2012

Position: Executive Director

17 Warranty and Liability

The warranty is 24 months from the date of purchase (please keep the receipt). Within the warranty period, any faults on the equipment and accessories¹, caused by defects of the material and manufacture, will be remedied free of charge in the form of repair or replacement, at the discretion of the manufacturer.

Any faults on the consumable accessories or wearable parts (e.g. the battery), as well as the cleaning, maintenance or replacement of the wearable parts, are not covered by the warranty and are charged.

The services provided on the basis of the warranty do not lead to the extension of the warranty period or to the right to a new warranty.

The warranty shall be proved by the purchase document. Without this document it is not possible to claim free services under the warranty.

In case of a warranty repair or replacement please present the complete equipment to your distributor, preferably in the original packaging, together with the receipt.

Any foreign intervention invalidates the warranty!

After the warranty period elapses, the manufacturer may perform repairs for payment.

18 Service Addresses

In case of repairs or additional orders of the disinfectant please refer to one of the following two addresses:

Sales

Rotho Babydesign GmbH

Im Schachen 212

D-66687 Wadern-Nunkirchen

NĚMECKO

Phone: +49 (0)6874 18693-0

Fax: +49 (0)6874 18693-29

E-mail: info@rotho-babydesign.com

Internet: <http://www.rotho-babydesign.com>

Manufacturer

Rudolf KOLLER GmbH

Rudolf-Koller-Straße 1

3902 Vitis

RAKOUSKO

Phone: +43 (0)2841 8207-0

¹ Damages on the components of accessories do not automatically imply free replacement of the entire whirlpool tub.